	Application No.	Applicant(s)	
	10/627,684	ISAYAMA ET AL.	
Notice of Allowability	Examiner	Art Unit	
	Harry D. Wilkins, III	1742	
The MAILING DATE of this communication appearance All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	plication. If not include will be mailed in due	ed course. THIS
1. This communication is responsive to <u>amendment filed 5 September 2006</u> .			
2. The allowed claim(s) is/are 5 and 7-9.			
3. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the:			
Certified copies of the priority documents have			
2. Certified copies of the priority documents have been received in Application No. <u>09/830,407</u> .			
3. Copies of the certified copies of the priority documents have been received in this national stage application from the			
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
 A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 			OTICE OF
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
1) hereto or 2) to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on the drawir he header according to 37 CFR 1.121(c	igs in the front (not the ป).	back) of
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 			
Attachment(s)	5 		
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	• •	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Dat	e	
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 7/25/06 	7. Examiner's Amenda	nent/Comment	
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Stateme	nt of Reasons for Allo	wance
	9. Other	M.A.	•

Application/Control Number: 10/627,684

Art Unit: 1742

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance: absent the present specification, there was no motivation or teaching in the prior art to utilize the claimed "standard liquid" as one of the component replenishing liquids. The prior art teaches utilizing a basic liquid (i.e.-water or water and copper sulfate/sulfuric acid) and maintaining each of the plurality of additives (dissolved in water) in individual containers to be added as needed. Thus, the claimed "standard liquid" which contained the basic liquid (water, copper sulfate and sulfuric acid), the plurality of additives and hydrochloric acid, is not taught by the prior art.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Harry D. Wilkins, III whose telephone number is 571-272-1251. The examiner can normally be reached on M-F 8:30am-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Roy V. King can be reached on 571-272-1244. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/627,684

Art Unit: 1742

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Harry D Wilkins, III Primary Examiner Art Unit 1742

hdw